



OUTSIDE MICROMETER MICROTECH





ISO17025:2017



ISO 9001:2015

OUTSIDE MICROMETER

Item No	Range	Reso- lution	Accu- racy	Setting rod	Anvil D
	mm	mm	µm		mm
110110251	0-25	0,01	±2		6.5
110110501	25-50		±2	•	
110110751	50-75		±3	•	
110111001	75-100		±3	•	
110111251	100-125		±4	•	
110111501	125-150		±4	•	
110111751	150-175		±4	•	
110112001	175-200		±4	•	
110112251	200-225		±5	•	
110112501	225-250		±5	•	
110112751	250-275		±5	•	
110113001	275-300		±5	•	
OUTSIDE MICROMETER SET					
110110111	0-100		4 pcs in set		
110110151	0-150		6 pcs in set		
110110311	0-300		12 pcs in set		



MICRON OUTSIDE MICROMETER

Item No	Range	Reso- lution	Accu- racy	Setting rod	Anvil D
	mm	mm	µm		mm
110110250	0-25	0,001	±2		6.5
110110500	25-50		±2	•	
110110750	50-75		±3	•	
110111000	75-100		±3	•	
MICRON OUTSIDE MICROMETER SET					
110110110	0-100		4 pcs in set		

Operating conditions from +10 °C to +30°C

OPERATION INSTRUCTIONS

Clean the oil from the measuring surfaces of micrometer by cloth.

Check the setting to zero. Contact with each other (or with setting gauge) measuring surfaces of the anvil and the spindle, using the ratchet and take a measurement.

During measure, thimble should rotate only by ratchet. Ensure contact of workpiece with measuring surfaces of the micrometer so tightly to ratchet cranked 2-3 times. Try to prevent warping measuring surfaces.

After work the measuring surfaces of the micrometer wipe with a cloth and apply anticorrosive oil.




WARNING !

Rotation the micrometer screw in the direction of convergence measuring surfaces using the ratchet.

Tip located at the end of screws, used only for reverse spindle.

DESIGNS





Item №	Range	Dimension	
		L	l
	mm	mm	mm
110110251	0-25	32	24
110180501	25-50	57	32
110180751	50-75	82	45
110181001	75-100	107	57
110181251	100-125	133	70
110181501	125-150	158	82
110181751	150-175	183	95
110182001	175-200	209	107



MICROTECH

innovative measuring instruments

61001, Kharkiv, Ukraine, str. Rustaveli, 39

DISTRIBUTORS



tel.: +38 (050) 323-65-30

www.microtech.ua

tool@microtech.ua